

Message

From: Ghanta, Venu G [Venu.Ghanta@duke-energy.com]
Sent: 3/20/2018 9:41:24 PM
To: Cook, Steven [/o=ExchangeLabs/ou=Exchange Administrative Group (FYDIBOHF23SPDLT)/cn=Recipients/cn=394f5dede6184bc083cf9390e49a192c-Cook, Steve]
CC: Brown, Byron [/o=ExchangeLabs/ou=Exchange Administrative Group (FYDIBOHF23SPDLT)/cn=Recipients/cn=9242d85c7df343d287659f840d730e65-Brown, Byro]
Subject: Re: Discussion on CCR proposed amendments

Thanks. Wednesday between 9 am and 1 pm looks clear, but we also have some availability on Monday and Tuesday.

On Mar 20, 2018, at 5:04 PM, Cook, Steven <cook.steven@epa.gov> wrote:

*** Exercise caution. This is an EXTERNAL email. DO NOT open attachments or click links from unknown senders or unexpected email. ***

Venu - should be doable. I have started the process to identify the right folks. Do you have some suggested times next week?

Sent from my iPhone

On Mar 20, 2018, at 12:59 PM, Ghanta, Venu G <Venu.Ghanta@duke-energy.com> wrote:

Hi Steven-

Hope you are well.

I wanted to see if we could set up a call with your staff to get a better understanding of some of the provisions in the recently proposed amendments to the CCR program.

The issues of most interest to us are:

- Definition of non-groundwater releases
- Corrective action procedures for non-groundwater releases that can be remediated within 180 days
- Use of CCR to close impoundments undergoing forced closure
- Addition of boron to App IV
- Alternate closure provision for non-CCR wastewaters

Let me know what works best on your end.

Thanks, Venu



Venu Ghanta
Federal Regulatory Affairs Director
325 7th Street NW, Suite 300, Washington, DC 20004
Office: 202-824-8013
Cell: Personal Phone / Ex. 6